DDS2300 Tier 2

(Rev. 2.00)

Trainee (受講者)	
Company (会社名)	

Period (期間)	
Trainer (トレーナー)	

Module	Page		Sign-off (サインオフ欄)	
(モジュール)	(ページ)	Date (日付)	Trainee (受講者)	Trainer (トレーナー)
chine Components and Functions				
Interpret Machine Outer Covers	2			
Interpret Axis Sections	5			
Interpret Safety Interlock Functions	30			
Interpret Cooling Unit Components	56			
nual Operation			ā	
Perform Manual Operation	65			
Remove the Workpiece from the Machineby Hand	89			
vice Data			â	
Manage the Device Data	102			
Edit the Device Data	122			
ta Maintenance			ā	
Utilize the Log Viewer	132			
Set Up the Cooler/Heater/UV Maintenance Data	184			
Set Up the Function Data	194			
Back Up/Restore the Machine Data	216			
5. Machine Maintenance			Ā	
Change the Frame Size and Configurations	233			
Set the Pressure/Flow Rate Monitoring Sensor Threshold	276			
Adjust Pressure/Flow Rate	290			
	chine Components and Functions Interpret Machine Outer Covers Interpret Axis Sections Interpret Safety Interlock Functions Interpret Cooling Unit Components Interpret Safety Interlock Functions Interpret Axis Sections Interpret Axis Secti	Chine Components and Functions Interpret Machine Outer Covers Interpret Axis Sections Interpret Safety Interlock Functions Interpret Cooling Unit Components Perform Manual Operation Perform Manual Operation Remove the Workpiece from the Machineby Hand Vice Data Manage the Device Data Edit the Device Data Edit the Device Data 102 Eta Maintenance Utilize the Log Viewer Set Up the Cooler/Heater/UV Maintenance Data Set Up the Function Data Back Up/Restore the Machine Data Chine Maintenance Change the Frame Size and Configurations Set the Pressure/Flow Rate Monitoring Sensor Threshold	Chine Components and Functions Interpret Machine Outer Covers 2 Interpret Axis Sections 5 Interpret Safety Interlock Functions 30 Interpret Cooling Unit Components 56 Interpret Cooling Unit Components 56 Interpret Manual Operation 65 Remove the Workpiece from the Machineby Hand 89 Interpret Cooling Unit Components 89 Interpret Cooling Unit Components 56 Interpret Cooling Unit C	Chine Components and Functions Interpret Machine Outer Covers 2 Interpret Axis Sections 5 Interpret Safety Interlock Functions 30 Interpret Cooling Unit Components 56 Interpret Manual Operation 65 Remove the Workpiece from the Machineby Hand vice Data 122 Edit the Device Data 122 Ita Maintenance Utilize the Log Viewer 132 Set Up the Function Data 194 Back Up/Restore the Machine Data 216 Chine Maintenance Change the Frame Size and Configurations 233 Set the Pressure/Flow Rate Monitoring Sensor Threshold

Module		Page	Sign-off (サインオフ欄)		
	(モジュール)	(ページ)	Date (日付)	Trainee (受講者)	Trainer (トレーナー)
6. En	gineering Maintenance				
6.1.	Utilize the Axis Operation Function	303			
6.2.	Utilize the Digital I/O Check Function	311			
6.3.	Set Up the User Define Data	329			
6.4.	Set Up the Device Data Maintenance	335			
6.5.	Set Up the Maintenance Scheduler	348			
Day 2					
7. Ma	intenance and Periodic Inspection	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
7.1.	Perform Maintenance of the Ionizers [Optional Accessory]	354			
7.2.	Remove Pieces of DAF Tape Dispersedin the Machine	410			
7.3.	Perform Maintenance and Inspection Before/After Turning On the Power	445			
7.4.	Grease the Cooling Expander Axis	454			
7.5.	Grease the Heating Expander Axis	462			
7.6.	Grease the Heater Up-Down Axis	470			
7.7.	Grease the Elevator Axis	478			
7.8.	Grease the Frame Centering Axis	493			
7.9.	Grease the Linear Arm Axis	508			
7.10.	Grease the Heating Expander PlateForward-backward Axis	517			
7.11.	Grease the Push-pull 1 Forward-backward Axis	527			
7.12.	Grease the Push-pull 2 Forward-backward Axis	536			
7.13.	Clean the Vacuum Ejector	547			
7.14.	Clean the Optical Components (UV Irradiation Unit)	552			
7.15.	Calibrate the UV Sensor (UV Irradiation Unit)	554			
Day 3					
8. Co	nsumable Parts Replacement				
8.1.	Replace the UV Lamp (UV Irradiation Unit)	561			
8.2.	Replace the Consumables for the Air Clean Unit	572			

	Module		Sign-off (サインオフ欄)		
	(モジュール)	Page (ページ)	Date (日付)	Trainee (受講者)	Trainer (トレーナー)
8.3.	Replace the Vacuum Pads for Arm Sections (Linear Arm/Rotary Arm)	588			
8.4.	Replace the Silencer (Cooling Unit)	597			
8.5.	Replace the Filter Elements (Cooling Unit)	601			
8.6.	Replace the Adsorbents (Cooling Unit)	608			
8.7.	Replace the Element (AFM) (Cooling Unit)	620			
8.8.	Replace the Check Valves (Cooling Unit)	626			
8.9.	Replace the Humidity Indicator (Cooling Unit)	632			
8.10.	Replace the Solenoid Valves	638			
8.11.	Replace the O-ring of the Spinner Table	646			
8.12.	Replace the Cold Mirror and the Cold Filter (UV Irradiation Unit)	650			
8.13.	Replace the Flow Meter	653			
8.14.	Replace the Sequencer Battery (UV Irradiation Unit)	665			
9. Ap	pendix				
9.1.	(Appendix) Check Sheet for Daily Inspections and Periodic Maintenance	669			
9.2.	(Appendix) Check Sheet for Periodic Replacement	672			
9.3.	(Appendix) Check List for Periodic Inspection and Consumable Parts Replacement (Cooling Unit)	675			
9.4.	(Appendix) Operating Principles of Heatless Air Dryer (Cooling Unit)	677			
9.5.	(Appendix) Piping Diagram (Cooling Unit)	681			

Course composition, intended trainees and course objective

Course Name	Intended Trainees				
Tier 1	who operates the machine to process products				
Tier 2	- who has already completed the "Tier 1" course (or has equivalent operation skills) - who conducts data and function settings of the machine - who conducts periodic maintenance of the machine				
Tier 3	- who has already completed the "Tier 2" course (or has equivalent operation skills) - who conducts maintenance works which are not described in the Maintenance Manual of the machine				

Course Objective	
To enable trainees to understand the terms necessary for operathe machine and to process products by calling up the data set the machine	_
- To enable trainees to create the data and set the data and functions for operating the machine - To enable trainees to safely and precisely perform the periodic maintenance and consumable parts replacement described in t	
To enable trainees to conduct maintenance works which are no described in the machine Maintenance Manual (only the items to can be executed without any special tools or access to the intermaker Data)	hat